

NEW

RONDO™

The World's First  
CI Single-Unit Processor



# RONDO™

## The World's First CI Single-Unit Processor

### Just Put it on and Go.

#### Compact and Fully Integrated

The control unit, battery pack, and coil are combined into one single-unit processor design. With no cable and fewer parts, users benefit from enhanced durability. The fully integrated design makes RONDO simple to wear.

#### Convenient and Off the Ear

RONDO disappears easily under longer hair. Because the ear is free, RONDO is especially comfortable for individuals who regularly wear glasses of any kind.

#### Proven Performance for Everyday Life

RONDO is based on the proven OPUS audio processor platform. It features the same signature technologies, Automatic Sound Management and FineHearing Technology, which provide proven superior hearing performance.<sup>1,2</sup>

#### Featuring:

- FineHearing<sup>1</sup> Technology, featuring the fine details of sound, provides an even more detailed hearing experience.
- Automatic Sound Management ensures optimal hearing in changing and challenging listening situations, all without requiring the user to make program adjustments.
- The small, easy-to-use FineTuner remote control.

#### Overview





Soft and Flexible  
Electrode Array



FineTuner Remote Control

RONDO Single-Unit Processor

CONCERTO Cochlear Implant

# Technical Data

## RONDO™

### The World's First CI Single-Unit Processor

#### Compatible Hardware/Software

- MED-EL CONCERT, SONATA, PULSAR, C40+ implants
- Diagnostic Interface Box II (DIB II)
- MAESTRO System Software
- Mini Battery Pack
- FineTuner Remote Control Unit

#### Sound Coding Strategies

Available strategies via MAESTRO System Software:

- FSP (Fine Structure Processing typically up to 350 Hz on 2 apical channels)<sup>1</sup>
- HD-CIS (High Definition CIS)

#### Future Compatibility

Designed for compatibility with upcoming sound coding strategies.

#### Connectivity

Connect to your favorite assistive listening devices (ALDs) via the telecoil, or plug in directly by using the Mini Battery Pack and a connection cable.

#### Colors

Anthracite, Nordic Grey, Creme and Ebony.

#### Weight

18.5g<sup>3</sup> (as delivered with standard magnet and batteries)

#### Battery Life

Up to 5 days of use with a set of 3 high-power zinc-air batteries (type 675).

#### Magnet Strength

Available with soft, standard, strong or super strong magnet.

#### Dimensions



#### Color Options

